

CERTIFICATE OF COMPLIANCE

Certificate Number 20151209-SA5757
Report Reference SA5757-19761021
Issue Date 2015-DECEMBER-09

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE

USL, CNL: Panic hardware, surface mounted mortise type, Series 8300, 8300A, 8300M, 8400, 8400A, 8400M, 8375, 8375A, 8375M, 8376, 8376A, 8376M, 8475, 8475A, and 8475M. These devices have been examined in accordance with ANSI A156.3-2008 requirements Grade 1.

Panic hardware, mid-panel, mortise type, Models 3375 and 3376. These devices are for use with hollow metal doors.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:

Standard for Safety for Panic Hardware-UL 305, ANSI/BHMA A156.3-American National Standard for Exit Devices, CAN/ULC-S132-07-Standard Method of Tests for Emergency Exit and Emergency Fire Exit Hardware

Additional Information:

See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151209-SA5757
Report Reference SA5757-19790820
Issue Date 2015-DECEMBER-09

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL: Panic hardware, concealed vertical rod type,
Series 8500, 8500A, 8500M, 8500T, 8500TA, 8500TM,
8575, 8575T, 8576, 8576T, 8600, 8600A, 8600M, 8600T,
8600TA, 8600TM, 8675, 8575T, 8675A, 8675M and 8675T.
This device has been examined in accordance with ANSI
A156.3-2008 requirements for
Grade 1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: Standard for Safety for Panic Hardware-UL 305,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19810608
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL: Panic hardware, rim type, Series 8700, 8700A,
8700M, 8750, 8750A, 8750M, 8800, 8800A, 8800M, and
G88. These devices have been examined in accordance
with ANSI A156.3 - 2008 requirements for Grade 1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19840501
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL, Panic hardware, surface mounted, mortise type,
Series 8300E, 8300EL, 8300EM, 8300ELM, 8300SE,
8300SEL, 8300SEM, 8300SELM, 8400E, 8400EL, 8400EM,
8400ELM, 8400SE, 8400SEL, 8400SEM, 8400SELM,
8475E, 8475EL, 8475EM, 847ELM, 8475SE, 8475SEL,
8475SEM, 8475SELM. These devices have been
examined in accordance with ANSI A156.3-2008
requirements for Grade 1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19840502
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE

USL, CNL: Panic Hardware, Concealed Vertical Rod TYPE, SERIES 8500E, 8500EL, 8500EM, 8500ET, 8500ELM, 8500ELT, 8500EMT, 8500ELMT, 8500SE, 8500SEL, 8500SEM, 8500SET, 8500SELM, 8500SELT, 8500SEMT, 8500SELMT, 8600E, 8600EL, 8600EM, 8600ET, 8600ELM, 8600ELT, 8600EMT, 8600ELMT, 8600SE, 8600SEL, 8600SEM, 8600SET, 8600SELM, 8600SELT, 8600SEMT, 8600SELMT, 8675E, 8675EL, 8675EM, 8675ET, 8675ELM, 8675ELT, 8675EMT, 8675ELMT, 8675SE, 8675SEL, 8675SEM, 8675SET, 8675SELM, 8675SELT, 8675SEMT, 8675SELMT. These devices have been examined in accordance with ANSI A156.3-2008 requirements for Grade 1.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:


UL 305-Standard for Safety for Panic Hardware, ANSI/BHMA A156.3-American National Standard for Exit Devices, CAN/ULC-S132-07-Standard Method of Tests for Emergency Exit and Emergency Fire Exit Hardware

Additional Information:

See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19840503
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL: Panic hardware, rim type, Series 8700E,
8700EL, 8700EM, 8700ELM, 8700SE, 8700SEL, 8700SEM,
8700SELM, 8750E, 8750EL, 8750EM, 8750ELM, 8750SE,
8750SEL, 8750SEM, 8750SELM; 8800E, 8800EL, 8800EM,
8800ELM, 8800SE, 8800SEL, 8800SEM, 8800SELM.
These devices have been examined in accordance with
ANSI A156.3-2008 requirements for Grade 1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19860516
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL: Panic hardware, surface mounted vertical rod
type, Series 8100, 8100A, 8100M, 8100T, 8100TA,
8100TM, 8200, 8200A, 8200M, 8200T, 8200TA, and
8200TM. These devices have been examined in
accordance with ANSI
A156.3-2008 requirements for Grade 1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19911001
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL, CNL: Panic hardware, surface mounted vertical rod
type, Series 8100E, 8100EL, 8100EM, 8100ET, 8100ELM,
8100ELT, 8100EMT, 8100ELMT, 8100SE, 8100SEL,
8100SEM, 8100SET, 8100SELM, 8100SELT, 8100SEMT,
8100SELMT, 8200E, 8200EL, 8200EM, 8200ET, 8200ELM,
8200ELT, 8200EMT, 8200ELMT, 8200SE, 8200SEL,
8200SEM, 8200SET, 8200SELM, 8200SELT, 8200SEMT,
8200SELMT. These devices have been examined in
accordance with ANSI A156.3-2008 requirements for Grade
1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19990413
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE

USL/CNL - Panic Hardware, Concealed Vertical Rod,
Type OEM 8600-1. This device has been examined in
accordance with ANSI A156.3-2008 requirements for Grade
1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151210-SA5757
Report Reference SA5757-19990414
Issue Date 2015-DECEMBER-10

Issued to: ADAMS RITE MFG CO
10027 S 51ST ST
PHOENIX AZ 85044

**This is to certify that
representative samples of**

PANIC HARDWARE
USL/CNL - Panic Hardware, Concealed Vertical Rod, Types
OEM U86, F86 and G86. The device has been examined in
accordance with ANSI A156.3-2008 requirements for Group
1.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:


UL 305-Standard for Safety for Panic Hardware,
ANSI/BHMA A156.3-American National Standard for Exit
Devices, CAN/ULC-S132-07-Standard Method of Tests for
Emergency Exit and Emergency Fire Exit Hardware

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

